



# METAL**ALLIANCE**

A Value Added Supplier of Metals

[metalalliance.com](http://metalalliance.com)

**KYNAR500<sup>®</sup>**  
**BY ARKEMA**



COLOR  
GUIDE

Sherwin-Williams<sup>®</sup>  
**Fluropon<sup>®</sup>**  
Coil Coating Systems

containing 70% PVDF Kynar 500<sup>®</sup>/Hylar 5000<sup>®</sup> resins

**KYNAR500<sup>®</sup>**  
**BY ARKEMA**

## Metal on Demand

“Our mission goes beyond metal — we build relationships that create opportunities, inspire confidence, and drive lasting success.”

At Metal Alliance, success in the metal construction industry is about earning trust, strengthening partnerships, and creating long-term opportunities that fuel shared growth.

The result isn't just reliable metal supply. It's the assurance that you'll always get what you need, when you need it — with the opportunity to grow your business alongside a partner who's truly invested in your success.

**Premium Coil Coatings Engineered for Long-Term Performance**

- ✓ Best-in-class performance
- ✓ Outstanding color & gloss retention
- ✓ High film integrity & adhesion
- ✓ Resistance to UV rays, humidity & heat





SHERWIN-WILLIAMS  
Coil Coatings  
**Fluropon®**  
Containing 70% PVDF Kynar 500®/Hylar 5000® resins  
**KYNAR500®**  
ARKEMA

STOCKED

### STANDARD

|  |  |  |  |
|--|--|--|--|
| <br>MATTE BLACK   | <br>DARK BRONZE   | <br>MANSARD BROWN | <br>MEDIUM BRONZE               |
| <br>CHARCOAL GRAY | <br>SLATE GRAY    | <br>DOVE GRAY     | <br>TERRA COTTA                 |
| <br>EVERGREEN     | <br>SLATE BLUE    | <br>BUCKSKIN      | <br>SIERRA TAN                  |
| <br>SANDSTONE   | <br>SOLAR WHITE | <br>REGAL WHITE | <br>GALVALUME® ACRYLIC-COATED |

### PREMIUM ★


|   |   |  |  |
|---|---|--|--|
| <br>REGAL BLUE | <br>CELESTIAL BRONZE | <br>COPPER METALLIC | <br>SILVER METALLIC |
|---|---|--|--|

**GOING COASTAL?** Salt air, high humidity, and UV exposure subject your project to accelerated deterioration. Specifying Fluropon® 70% PVDF on aluminum helps protect it against premature chalking, fading, loss of sheen, cracking, and adhesion failure. Ask a member of our team to learn more about coating systems engineered for long-term coastal performance.

THE METAL ALLIANCE STANDARD:  
✓TESTED ✓CERTIFIED ✓TRUSTED





### STANDARD

|   |  |
|---|--|
| <br>COLONIAL RED | <br>HARTFORD GREEN  |
| <br>SEABORN BLUE | <br>HEMLOCK GREEN   |
| <br>PATINA GREEN | <br>TROPICAL PATINA |
| <br>AGED COPPER  | <br>IRONSTONE       |
| <br>ALMOND      |  |

### PREMIUM ★

|  |   |
|--|---|
| <br>REGAL RED     | <br>CHAMPAGNE METALLIC |
| <br>PRE-WEATHERED |   |

### ULTRA-PREMIUM ★★

|   |  |
|---|--|
| <br>VINTAGE COPPER | <br>VINTAGE STEEL |
|---|--|

ORDERED\*

| Fluropon®<br>70% PVDF Color Guide | GALVALUME® |      | ALUMINUM |       | ISR<br>Initial Solar<br>Reflectivity | EMI<br>Emissivity | SRI<br>Solar Reflectance<br>Index | 3-Year<br>Aged<br>SRI | LEED<br>v5 <sup>‡</sup> |
|-----------------------------------|------------|------|----------|-------|--------------------------------------|-------------------|-----------------------------------|-----------------------|-------------------------|
|                                   | 24ga       | 26ga | .032"    | .040" |                                      |                   |                                   |                       |                         |
| AGED COPPER                       | ○          |      | ○        |       | 0.44                                 | 0.86              | 49                                | 52                    | ▲                       |
| ALMOND                            | ○          |      | ●        |       | 0.64                                 | 0.88              | 77                                | 80                    | ▲                       |
| BUCKSKIN                          | ●          |      | ●        |       | 0.41                                 | 0.88              | 46                                | 45                    | ▲                       |
| CELESTIAL BRONZE ★                | ●          |      | ○        |       | 0.36                                 | 0.83              | 37                                | 36                    | ▲                       |
| CHAMPAGNE METALLIC ★              | ○          |      | ●        |       | 0.34                                 | 0.83              | 34                                | 35                    | ▲                       |
| CHARCOAL GRAY                     | ●          | ●    | ●        |       | 0.30                                 | 0.86              | 30                                | 29                    |                         |
| COLONIAL RED                      | ○          |      | ○        |       | 0.32                                 | 0.87              | 33                                | 35                    | ▲                       |
| COPPER METALLIC ★                 | ●          |      | ○        |       | 0.41                                 | 0.86              | 45                                | 45                    | ▲                       |
| DARK BRONZE                       | ●          | ●    | ●        |       | 0.27                                 | 0.86              | 26                                | 26                    |                         |
| DOVE GRAY                         | ●          | ●    | ●        |       | 0.37                                 | 0.87              | 50                                | 43                    | ▲                       |
| EVERGREEN                         | ●          |      | ○        |       | 0.29                                 | 0.86              | 29                                | 29                    |                         |
| GALVALUME ACRYLIC-COATED          | ●          | ●    | N/A      | N/A   | 0.67                                 | 0.25              | 56                                | 55                    | ▲                       |
| HARTFORD GREEN                    | ○          |      | ○        |       | 0.31                                 | 0.88              | 32                                | 34                    | ▲                       |
| HEMLOCK GREEN                     | ○          |      | ○        |       | 0.29                                 | 0.87              | 29                                | 29                    |                         |
| IRONSTONE                         | ○          |      | ○        |       | 0.53                                 | 0.90              | 62                                | N/A                   | ▲                       |
| MANSARD BROWN                     | ●          | ●    | ●        |       | 0.26                                 | 0.86              | 25                                | 25                    |                         |
| MATTE BLACK                       | ●          | ●    | ●        |       | 0.06                                 | 0.89              | 1                                 | 1                     |                         |
| MEDIUM BRONZE                     | ●          | ●    | ●        |       | 0.32                                 | 0.84              | 32                                | 34                    | ▲                       |
| PATINA GREEN                      | ○          |      | ○        |       | 0.40                                 | 0.87              | 44                                | 46                    | ▲                       |
| PRE-WEATHERED ★                   | ○          |      | ●        |       | 0.25                                 | 0.82              | 22                                | 20                    |                         |
| REGAL BLUE ★                      | ●          |      | ●        |       | 0.27                                 | 0.85              | 26                                | 26                    |                         |
| REGAL RED ★                       | ○          |      | ○        |       | 0.41                                 | 0.81              | 43                                | 43                    | ▲                       |
| REGAL WHITE                       | ●          | ●    | ●        | ●     | 0.66                                 | 0.87              | 80                                | 80                    | ▲                       |
| SANDSTONE                         | ●          |      | ○        |       | 0.50                                 | 0.87              | 57                                | 57                    | ▲                       |
| SEABORN BLUE                      | ○          |      | ○        |       | 0.11                                 | 0.88              | 6                                 | N/A                   |                         |
| SIERRA TAN                        | ●          | ●    | ○        |       | 0.30                                 | 0.87              | 31                                | 29                    |                         |
| SILVER METALLIC ★                 | ●          |      | ●        | ●     | 0.49                                 | 0.81              | 54                                | 52                    | ▲                       |
| SLATE BLUE                        | ●          |      | ●        |       | 0.29                                 | 0.85              | 28                                | 28                    |                         |
| SLATE GRAY                        | ●          | ●    | ●        |       | 0.36                                 | 0.87              | 39                                | 41                    | ▲                       |
| SOLAR WHITE                       | ●          |      | ●        |       | 0.67                                 | 0.86              | 81                                | 84                    | ▲                       |
| TERRA COTTA                       | ●          | ●    | ○        |       | 0.35                                 | 0.87              | 37                                | 36                    | ▲                       |
| TROPICAL PATINA                   | ○          |      | ○        |       | 0.29                                 | 0.88              | 30                                | 30                    |                         |
| VINTAGE COPPER ★★                 | ○          |      | ○        |       | 0.45                                 | 0.88              | 51                                | N/A                   | ▲                       |
| VINTAGE STEEL ★★                  | ○          |      | ○        |       | 0.32                                 | 0.89              | 34                                | N/A                   |                         |

● = Stocked ○ = Ordered (Lead times may apply) ▲ = Meets LEED v5 SRI requirements ★ = Premium ★★ = Ultra-Premium (Min. may apply)

- Material, finish, color and size availability are subject to change without notice. Contact your Metal Alliance representative for current availability and pricing.
- Solar reflectance, emissivity, and SRI values are nominal and determined in accordance with applicable ASTM standards. Values may vary with manufacturing tolerances.
- Colors are reproduced as accurately as possible. For final color approval, request a physical metal sample prior to ordering.
- In the unlikely event material is not available in the color selected, we may substitute coating from an alternate supplier.
- Custom colors and finishes are available; minimum charges and quantities may apply.
- Metal and finish warranty information is available upon request.

- <sup>†</sup>Up to 2 credits available for Heat Island Reduction. LEED v5 credit requirements: Low-slope roof systems must have an initial SRI of ≥ 82 or a 3-year SRI of ≥ 64. For steep-slope applications, 75% (min.) of roof area must have an initial SRI of ≥ 39 or 3-year aged SRI of ≥ 32.
- Store material in a cool, dry environment. On project sites, materials with PVC film must be used immediately or kept in a climate-controlled area. Remove all PVC film prior to installation. Refer to Metal Alliance Metal Handling & Storage Guide to learn more at [metalliance.com/metal-handling-and-storage-guide](http://metalliance.com/metal-handling-and-storage-guide).
- Oil canning is an inherent characteristic of light-gauge, cold-formed metal products. It does not affect panel integrity and is not a cause for rejection.

PVDFCOLOR Rev 4/26

